

# PHYSICAL NATURE OF METALS LONGEVITY IN THE DYNAMIC FAILURE PHENOMENON

**A. Ya. Uchaev**, S. S. Sokolov, N. I. Selchenkova  
Russian Federal Nuclear Center - VNIIEF  
Russia, 607188, Nizhni Novgorod region  
Sarov, Mira avenue 37  
uchaev@expd.vniief.ru

At present acute is the knowledge of time boundary of maintaining functional metal properties under extreme conditions, when the equilibrium state deviation value is comparable with phase transition energy. As a rule, relaxation of strongly non-equilibrium states is accompanied by destruction processes [1, 2]. The main problem of studying the metals behavior under extreme conditions is determining the physical mechanisms of non-equilibrium system relaxation, for example, metal samples exposed to high-level penetrating radiation. It is shown that the physical nature of metals longevity under in the range of non-equilibrium state  $t \sim 10^{-6} - 10^{-10} \text{sec}$  is specified by the time of forming critical concentration of failure centers cascade.

This work is done by support from RFFR # 09-01-12062

## References

- [1] R. I. Ilkaev, V. T. Punin, A. Ya. Uchaev, *Time laws of dynamic metal failure*, Academy of Sciences reports, 2003, vol. 393, N 3., pp. 326–331.
- [2] R. I. Ilkaev, V. T. Punin, A. Ya. Uchaev, *Physical nature of metals longevity in the phenomenon of dynamic failure*, Nucl. Phys. and Eng., 2010, Vol. 1, N 2, pp. 99–103.